

Replacing a Power Distribution Unit

Part No: ES2-DCPDU-FRU

Replacing a Power Distribution Unit on E120 and E320 Routers

To replace a power distribution unit (PDU):


1. Power down the router.
2. Remove the clear plastic guard covering the PDU.



WARNING: Be sure the power source is turned off and all power switches are in the OFF position.

3. Disconnect the power cables and grounding cables. (See Figure 1.)
4. With an appropriate screwdriver, loosen the screws located at the corners of the PDU. Using two hands, pull the PDU out of the chassis.
5. Install the new PDU and tighten the screws.
6. Reconnect the power cables and grounding cables.
7. Replace the clear plastic guard.
8. Power up the router.

See the *E120 and E320 Hardware Guide* for more detailed instructions.

Figure 1: E320 Router PDU

Affected Products

This notice applies to the following products:

- ES1-DCPDU-FRU
- All subsequent ASSY and revisions of ES2-DCPDU-FRU

For additional information, contact the Juniper Networks Technical Assistance Center (JTAC).

Part Number: 162-01877-00,
Revision A00

Juniper Networks, Inc.
1194 North Mathilda Avenue
Sunnyvale, CA 94089 USA

Phone 408 745 2000
or 888 JUNIPER
Fax 408 745 2100

Juniper Networks, the Juniper Networks logo, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. JUNOS and JUNOSe are trademarks of Juniper Networks, Inc. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

Products made or sold by Juniper Networks (including the ERX-310, ERX-705, ERX-710, ERX-1410, ERX-1440, M5, M7i, M10, M10i, M20, M40, M40e, M160, M320, and T320 routers, T640 routing node, and the JUNOS, JUNOSe, and SDX-300 software) or components thereof might be covered by one or more of the following patents that are owned by or licensed to Juniper Networks: U.S. Patent Nos. 5,473,599, 5,905,725, 5,909,440, 6,192,051, 6,333,650, 6,359,479, 6,406,312, 6,429,706, 6,459,579, 6,493,347, 6,538,518, 6,538,899, 6,552,918, 6,567,902, 6,578,186, and 6,590,785.

Copyright © 2008, Juniper Networks, Inc.
All rights reserved. Printed in USA.

Revision History
18 January 2008—Revision 1

